



Centrax...Classic...easy2go...Grip...Square Link...Twist Link...Cable



**Passenger**  
Product Information  
Page 16 - 18

Sizes/References  
Page 3 - 8



Supergreisteg...Classic V...**MAMMUT**...Sprint...Grip 4x4



Highway...V-Bar...Wide Base...Mud.....Cable



**Truck**  
Product Information  
Page 19 - 24

Sizes/References  
Page 9 - 15



Bison.....Alligator...Skidder...Grader...Tractor



ATV.....Forklift.....Snow Blower....Skid Steer



**Heavy Equipment / Off Road**  
Product Information  
Page 25 - 33

Sizes/References  
Page 25-33

**Repair Parts, Tools & Accessories**

Product Information  
Page 33 - 38

**Fitting Instructions**

Page 39-40

**Rules for Using Tire Chains**

Page 19

## Terms of Sale

<b>Minimum Order:</b>	A \$25 fee will be assessed for any order under \$100.00 (excluding shipping costs).
<b>Prices:</b>	<b>Prices subject to change without notice.</b>
<b>Standard Credit Terms:</b>	Net 30 days with approved credit. Visa & Mastercard accepted. <b>All invoices must be paid within 30 days or they will be subject to finance charges accrued at 1-1/2% per month.</b>
<b>Freight Terms:</b>	F.O.B. <b>Single Shipping Point</b> ; freight allowed & prepaid via carrier of RUD's choice at the lowest published tariff rate on shipments of 2,000 lbs. or more to destinations within the continental U.S. (does not include Alaska or Hawaii). Shipments less than 2,000 lbs. will be F.O.B. Shipping Point, costs prepaid and added to invoice.  <b>All Forestry chains will be F.O.B. Shipping Point, costs prepaid and added to invoice.</b>  Surcharges and other applicable charges will be prepaid and added to all invoices.
<b>Return Merchandise Policy:</b>	No merchandise will be accepted without prior written authorization by a RUD-Chain, Inc. Customer Service Representative. <b>No returns accepted after 90 days.</b>  A Return Authorization Number will be issued and must be prominently displayed on the return material shipping container(s) and the carrier's freight bill. All returns are subject to a 20% restocking fee. All authorized returns must be prepaid. Any unauthorized or collect shipments will be refused. Any product not returned in original saleable condition will be subject to an additional reconditioning charge.

---

**Warranty:** The products listed in this catalog are warranted free from defects in workmanship and material for ninety (90) days from date of delivery to a user, provided the guidelines for using tire chains are complied with.

**Disclaimer of Warranties:** No other express or implied warranty of any kind whatsoever (including by way of example and not limitation, any warranty of merchantability or fitness for a particular purpose) is given and no affirmation of Seller, by works or action, shall constitute a warranty. The warranty is made only to the dealer, retailer, or other direct customer of RUD. RUD makes no warranty to any other ultimate user and prohibits the transfer of the warranty given above to its direct customer, to any subsequent purchasers including but not limited to ultimate user.

**Remedies:** The Buyer's sole remedy for breach of any warranty is limited exclusively to obtaining, at the discretion of the Seller, either credit, repair or replacement of any product sold hereunder by which shall be returned to Seller's plant, transportation prepaid, within thirty (30) days after delivery to a user and within ten (10) days of discovery of alleged defect, and which RUD's inspection shall determine to be defective. Buyer shall not be entitled to recover any special, incidental or consequential damages. No material shall be returned without written consent of the seller.



Tire Size	RUD Centrax page 16	RUD-matic Classic page 16	easy2go page 17	RUD Grip page 17	Square Link page 18	Twist Link page 18	Cable page 18
<b>12 inch</b>							
P155/80R12				02-1510	1114SL	1114	1014
P165/70R12					1114SL	1114	1014
P175/70R12				02-1510	1114SL	1114	1014
<b>13 inch</b>							
P145/70R13		48410		02-1505			1014
P145/80R13		48414		02-1510	1114SL	1114	1014
P155/65ZR13		48410		02-1505			
P155/70R13		48414		02-1510	1114SL	1114	1014
P155/80R13		48415		02-1515	1114SL	1114	1014
P165/60R13		48414		02-1510	1114SL	1114	1014
P165/65R13		48414		02-1510	1114SL	1114	1018
P165/70R13		48415		02-1515	1114SL	1114	1014
P165/75R13					1114SL	1114	1014
P165/80R13		48473	4434073	02-1520	1118SL	1118	1018
P175/50R13					1114SL	1114	1014
P175/60R13		48414		02-1510	1114SL	1114	1014
P175/65R13		48415		02-1515	1114SL	1114	1014
P175/70R13		48473	4434073	02-1520	1118SL	1118	1018
P175/75R13				02-1525	1118SL	1118	1018
P175/80R13	4715546	48404	4434004	02-1525	1122SL	1122	1026
P185/55R13		48414		02-1510			
P185/60R13		48415		02-1515	1118SL	1118	1018
P185/65R13		48473	4434073	02-1520	1118SL	1118	1018
P185/70R13		48404	4434004	02-1525	1118SL	1118	1026
P185/75R13					1126SL	1126	1026
P185/80R13		48479	4434079	02-1525	1122SL	1122	1022
P185/85R13					1130SL	1130	1030
P195/60R13				02-1520	1126SL	1126	1026
P195/65R13				02-1525	1122SL	1122	1022
P195/70R13		48479	4434004	02-1525	1126SL	1126	1026
P195/75R13					1130SL	1130	1030
P205/60R13				02-1525	1126SL	1126	1026
P205/70R13				02-1535	1130SL	1130	1030
P215/50R13					1126SL	1126	1026
P215/60R13					1126SL	1126	1026
P215/65R13					1130SL	1130	1030
P235/50R13					1134SL	1134	1034
P235/60R13					1134SL	1134	1034
P245/50R13					1134SL	1134	1034
<b>14 inch</b>							
27x8.5-14					1134SL	1134	1034



Tire Size	RUD Centrax page 16	RUD-matic Classic page 16	easy2go page 17	RUD Grip page 17	Square Link page 18	Twist Link page 18	Cable page 18
P145/70R14					1114SL	1114	1014
P145/80R14		48415		02-1515			
P155/65R14		48414		02-1510	1114SL	1114	1014
P155/70R14		48415		02-1515	1118SL	1118	1018
P165/60R14		48414		02-1510	1114SL	1114	1014
P165/65R14		48415		02-1515	1118SL	1118	1018
P165/70R14		48473	4434073	02-1520	1118SL	1118	1018
P165/75R14		48404	4434004	02-1525	1118SL	1118	1018
P165/80R14	4715546	48404	4434004	02-1525	1118SL	1118	1018
P175/60R14		48415		02-1515	1118SL	1118	1018
P175/65R14		48473	4434073	02-1520	1118SL	1118	1018
P175/70R14		48404	4434004	02-1525	1126SL	1126	1026
P175/75R14		48479	4434079	02-1530	1122SL	1122	1022
P175/80R14	4715547	48479	4434079	02-1530	1122SL	1122	1022
P185/55R14		48473	4434073	02-1520	1118SL	1118	1018
P185/60R14		48473	4434073	02-1520	1126SL	1126	1026
P185/65R14		48404	4434004	02-1525	1126SL	1126	1026
P185/70R14	4715546	48479	4434079	02-1530	1126SL	1126	1022
P185/75R14	4715547	48482	4434082	02-1535	1122SL	1122	1030
P185/80R14	4715548	48482	4434082	02-1535	1130SL	1130	1030
P195/55R14		48476	4434004	02-1525	1126SL	1126	1026
P195/60R14		48404	4434004	02-1525	1126SL	1126	1026
P195/65R14		48478	4434079	02-1530	1126SL	1126	1026
P195/70R14	4715547	48482	4434082	02-1535	1130SL	1130	1030
P195/75R14		4715833		02-1545	1130SL	1130	1030
P200/70R14		48482	4434082	02-1535			
P205/55R14					1126SL	1126	1026
P205/60R14		48479	4434079	02-1530	1126SL	1126	1026
P205/65R14		48482	4434082	02-1535	1130SL	1130	1030
P205/70R14	4715547	48484	4434084	02-1540	1130SL	1130	1030
P205/75R14					1134SL	1134	1034
P215/60R14		48484	4434084	02-1540	1130SL	1130	1030
P215/65R14					1130SL	1130	1030
P215/70R14		48489	4434089	02-1555	1134SL	1134	1034
P215/75R14				02-1550	1134SL	1134	1034
P225/55R14					1134SL	1134	1034
P225/60R14		48484	4434084	02-1540	1130SL	1130	1034
P225/65R14					1134SL	1134	1034
P225/70R14				02-1547	1138SL	1138	1038
P225/75R14		48494		02-1550	1138SL	1138	1038
P235/60R14					1134SL	1134	1034
P235/70R14					1138SL	1138	1038



Tire Size	RUD Centrax page 16	RUD-matic Classic page 16	easy2go page 17	RUD Grip page 17	Square Link page 18	Twist Link page 18	Cable page 18
P235/75R14					1138SL	1138	1042
P245/50R14				02-1540	1134SL	1134	1034
P245/60R14					1138SL	1138	1038
P245/70R14					1142SL	1142	1042
P255/55R14					1138SL	1138	1038
P255/60R14					1138SL	1138	1038
P265/50R14					1138SL	1138	1038
P265/60R14					1142SL	1142	1042
P275/60R14					1142SL	1142	1042
<b>15 Inch</b>							
27x8.5-15					1138SL	1138	1038
P145/65R15		48414		02-1510			
P145/70R15					1118SL	1118	1018
P145/80R15					1118SL	1118	1018
P155/60R15		48414		02-1510	1114SL	1114	1014
P155/65R15		48415		02-1515			
P155/70R15		48473	4434073	02-1520	1118SL	1118	1018
P155/80R15		48404	4434004	02-1525	1122SL	1122	1022
P165/65R15		48473	4434073	02-1520	1122SL	1122	1022
P165/70R15					1122SL	1122	1022
P165/80R15					1122SL	1122	1022
P175/55R15		48473	4434073	02-1520			
P175/65R15		48404	4434004	02-1525			
P175/70R15		48479	4434079	02-1530	1122SL	1122	1022
P175/75R15					1122SL	1122	1022
P175/80R15		48482	4434082	02-1535			
P180/65R15					1122SL	1122	1022
P185/55R15		48476	4434004	02-1525	1126SL	1126	1026
P185/60R15		48404	4434004	02-1525	1126SL	1126	1026
P185/65R15	4715546	48405	4434079	02-1530	1126SL	1126	1026
P185/70R15		48482	4434082	02-1535	1130SL	1130	1030
P185/75R15		48482	4434082	02-1535	1130SL	1130	1030
P190/65R15					1130SL	1130	1030
P195/45R15					1122SL	1122	1022
P195/50R15		48476	4434004	02-1525	1126SL	1126	1026
P195/55R15		48478		02-1530	1122SL	1122	1026
P195/60R15	4715546	48405	4434079	02-1530	1130SL	1130	1030
P195/65R15	4715547	48482	4434082	02-1535	1130SL	1130	1030
P195/70R15	4715548	48484	4434084	02-1540	1130SL	1130	1034
P195/75R15				02-1547	1134SL	1134	1034
P195/80R15	4715550			02-1547	1134SL	1134	1034
P205/50R15		48478	4434079	02-1530	1130SL	1130	1030



Tire Size	RUD Centrax page 16	RUD-matic Classic page 16	easy2go page 17	RUD Grip page 17	Square Link page 18	Twist Link page 18	Cable page 18
P205/55R15			4434079	02-1530	1134SL	1134	1034
P205/60R15	4715546	48482	4434082	02-1535	1134SL	1134	1030
P205/65R15	4715547	48484	4434084	02-1540	1134SL	1134	1034
P205/70R15	4715548	48489	4434089	02-1555	1134SL	1134	1034
P205/75R15				02-1547	1138SL	1138	1038
P205/80R15	4715550			02-1550			
P215/50R15		48479	4434079	02-1530	1130SL	1130	1030
P215/55R15					1134SL	1134	1034
P215/60R15	4715547	48484	4434084	02-1540	1134SL	1134	1034
P215/65R15	4715548	48493	4434089	02-1555	1134SL	1134	1038
P215/70R15	4715549	48493	4434093	02-1560	1138SL	1138	1038
P215/75R15	4715550			02-1550	1138SL	1138	1038
P220/45R15					1126SL	1126	1026
P225/50R15		48482	4434082	02-1535	1134SL	1134	1030
P225/55R15	4715546	48484	4434084	02-1540	1134SL	1134	1034
P225/60R15	4715548	48489	4434089	02-1555	1138SL	1138	1038
P225/65R15	4715549	48493	4434093	02-1560	1138SL	1138	1038
P225/70R15	4715550	48494	4434094	02-1565	1138SL	1138	1038
P225/75R15	4715551				1142SL	1142	1042
P225/80R15					1142SL	1142	1042
P235/60R15		48493	4434093	02-1560	1138SL	1138	1038
P235/65R15					1138SL	1138	1038
P235/70R15	4715550				1142SL	1142	1042
P235/75R15	4715551				1142SL	1142	1042
P245/50R15					1138SL	1138	1038
P245/60R15		48495	4434095	02-1570	1142SL	1142	1042
P255/55R15					1142SL	1142	1042
P255/60R15					1142SL	1142	1042
P255/65R15					1142SL	1142	1042
P265/50R15					1142SL	1142	1042
P265/60R15					1142SL	1142	1042
P265/75R15					1146SL	1146	1046
P275/50R15					1142SL	1142	1042
P285/40R15					1138SL	1138	1038
<b>16 Inch</b>							
P155/80R16					1122SL	1122	1022
P175/60R16		48404	4434004	02-1525			
P175/75R16	4715548						
P185/60R16	4715546	48482	4434082	02-1535			
P185/75R16				02-1547			
P195/45R16		48476		02-1525	1130SL	1130	1030
P195/50ZR16		48478	4434079	02-1530	1130SL	1130	1030



Tire Size	RUD Centrax page 16	RUD-matic Classic page 16	easy2go page 17	RUD Grip page 17	Square Link page 18	Twist Link page 18	Cable page 18
P195/55R16	4715546	48479	4434079	02-1530			
P195/60R16	4715547	48482	4434082	02-1535	1130SL	1130	1030
P195/65R16	4715548	48484	4434084	02-1540	1130SL	1130	1030
P195/75R16	4715550			02-1550			
P205/45R16		48479	4434079	02-1530	1130SL	1130	1030
P205/50R16	4715546	48479	4434079	02-1530	1134SL	1134	1034
P205/55ZR16	4715547	48484	4434082	02-1540	1134SL	1134	1034
P205/60ZR16	4715548	48489	4434084	02-1555	1138SL	1138	1034
P205/65R16	4715549	48489	4434089	02-1550	1138SL	1138	1038
P205/70R16	4715550				1138SL	1138	1038
P205/75R16	4715551			02-1550			
P205/80R16	4715551				1142SL	1142	1042
P215/45R16		48479	4434079	02-1530	1134SL	1134	1034
P215/50R16	4715546	48482	4434082	02-1535	1134SL	1134	1034
P215/55R16	4715547	48489	4434089	02-1555	1134SL	1134	1034
P215/60ZR16	4715548	48493	4434093	02-1560	1134SL	1134	1034
P215/65R16	4715549	48494	4434094	02-1565	1138SL	1138	1038
P215/70R16	4715550			02-1550	1138SL	1138	1038
P215/75R16	4715551				1138SL	1138	1038
P225/45ZR16					1134SL	1134	1034
P225/50ZR16	4715547	48489	4434089	02-1555	1142SL	1142	1034
P225/55R16	4715548	48493	4434093	02-1560	1138SL	1138	1038
P225/60ZR16	4715549	48494	4434094	02-1565	1138SL	1138	1038
P225/65R16	4715550			02-1550	1138SL	1138	1038
P225/70R16	4715551				1142SL	1142	1038
P225/75R16					1142SL	1142	1042
P235/50R16	4715547	48489	4434089	02-1555	1134SL	1134	1038
P235/55R16				02-1560	1134SL	1134	1034
P235/60R16	4715549	48495	4434095	02-1570	1142SL	1142	1042
P235/65R16	4715551				1138SL	1138	1038
P245/45ZR16	4715546	48489	4434089	02-1555	1134SL	1134	1034
P245/50ZR16				02-1560	1142SL	1142	1042
P245/55R16	4715549	48495	4434095	02-1570	1142SL	1142	1042
P245/60R16					1142SL	1142	1042
P245/70R16							1046
P245/75R16							1046
P255/50ZR16					1142SL	1142	1042
P255/70R16					1146SL	1146	1046
P265/50R16					1142SL	1142	1042
P265/75R16					1142SL	1142	1042
P275/70R16							1042

17 Inch



Tire Size	RUD Centrax page 16	RUD-matic Classic page 16	easy2go page 17	RUD Grip page 17	Square Link page 18	Twist Link page 18	Cable page 18
P205/45ZR17	4715546	48479	4434079	02-1530	1134SL	1134	1034
P205/50ZR17	4715547	48484	4434084	02-1540	1134SL	1134	1034
P215/45ZR17	4715546	48484	4434084	02-1540	1134SL	1134	1034
P215/50R17	4715547	48489	4434089	02-1555			1034
P215/55R17	4715548	48493	4434093		1138SL	1138	1038
P215/60R17	4715549	48494	4434094		1142SL	1142	1042
P215/65R17				0139	1138SL	1138	1038
P225/45R17	4715547	48489	4434089	02-1540	1138SL	1138	1038
P225/50R17	4715548	48493	4434093	02-1560	1138SL	1138	1038
P225/55R17	4715549	48494	4434094	02-1570	1138SL	1138	1038
P235/40R17	4715546						
P235/45ZR17	4715547	48493	4434093	02-1560	1138SL	1138	1038
P235/50R17	4715548	48494	4434094	02-1565			
P235/55R17		48495	4434095	02-1570	1142SL	1142	1042
P245/40ZR17	4715547	48489	4434089	02-1555	1138SL	1138	1038
P245/45ZR17	4715548	48493	4434093	02-1560	1138SL	1138	1038
P245/50ZR17	4715549	48495	4434095	02-1570	1142SL	1142	1042
P255/40R17	4715547	48493	4434093	02-1560	1142SL	1142	1038
P255/45ZR17					1142SL	1142	1042
P275/40R17					1142SL	1142	1042
P275/55R17	4715551	48450			1146SL	1146	1046
P285/35ZR17					1142SL	1142	1042
P315/35R17							1042
<b>18 Inch</b>							
P225/40R18	4715547	48489	4434089	02-1555	1138SL	1138	1034
P225/45R18					1138SL	1138	1038
P235/40R18	4715547	48493	4434093	02-1560			
P235/50R18		48495	4434095	02-1570			
P245/45R18	4715549	48495	4434095	02-1570	1142SL	1142	1042
P255/45R18	4715549						
P255/55R18	4715551	4714329					
<b>Other</b>							
P165/70R-360					1118SL	1118	1018
P165/70R-365					1118SL	1118	1018
P185/65R-365					1126SL	1126	1026
P185/70R-365					1130SL	1130	1030
P180/65R390					1126SL	1126	1026
P185/65R-390					1126SL	1126	1026
P190/65R390					1130SL	1130	1030
P200/60-390					1130SL	1130	1030
P220/55R390					1134SL	1134	1034
P220/65R390					1138SL	1138	1038





Tire Size	RUD Super-greifsteg page 19	RUD-matic Classic V page 20	Grip 4x4 page 21	Highway Service		V-Bar		Mud Service		Wide Base *Dual Mount page 23	Cable page 24
				Single page 22	Dual Triple page 22	Single page 23	Dual Triple page 23	Single page 24	Dual page 24		
<b>14 Inch</b>											
195/75R14	22126										
195/80R14		19633	0133								
205/75R14		19633	0133								
215/75R14LT	22139	19639	0139	2216CAM		2816CAM					
225/70R14		19638	0138	2216CAM		2816CAM					
235/70R14				2229CAM		2829CAM					
29x9.5-14				2216CAM		2816CAM					
<b>15 Inch</b>											
7.00-15TR				2219CAM	4219CAM	2819CAM	4819CAM	2435M		3237R*	
7.00-15	22140		0142	2216CAM		2816CAM					
7.50-15LT	22149			2219CAM	4219CAM	2819CAM	4819CAM	2435M		3251R*	
8.25-15TR				2228CAM		2828CAM					
9.00-15TR	22141		0141	2237CAM				2435M			
10.00-15LT	22141	19641	0141					2441M	4435M	3210R	
10.00-15TR				2239CAM	4239CAM	2839CAM	4839CAM	2441M	4435M		
215/75R15	22139	19639	0139	2216CAM		2816CAM					
225/70R15	22139	19639	0139	2216CAM		2816CAM					
225/75R15	22140	19643	0143	2216CAM		2816CAM					
235/70R15	22146	19643	0143	2216CAM		2816CAM					1661
235/75R15		19642	0142	2216CAM		2816CAM		2435M	4435M		1665
245/60R15				2216CAM		2816CAM					
245/70R-15				2229CAM		2829CAM		2437M	4412M		1661
245/75R15LT				2219CAM	4219CAM	2819CAM	4819CAM				
245/85-15				2228CAM		2828CAM					1669
255/60R15	22139	19639	0139	2229CAM		2829CAM					
255/70R15		19650	0142	2229CAM		2829CAM		2437M	4412M		1665
255/75R15LT	22141	19641	0141	2229CAM		2829CAM					1669
265/60R15				2229CAM		2829CAM					
265/70R15	22141	19641	0141							3210R	1665
265/75R15	22157	19657	0157							3210R	1669
275/60R15		19650	0142	2229CAM		2829CAM		2437M	4412M		1665
285/70R15		19660	0160	2228CAM		2828CAM					
295/50R15		19650		2229CAM		2829CAM					
315/70R15										3229R	
325/60R15	22016									3229R	
27x9.5-15	22528			2229CAM		2829CAM					
28x8.5-15				2216CAM		2816CAM					
29x9.50-15		19642		2229CAM		2829CAM					
29x10.5-15										3210R	
30x9.50x15LT	22149	19642	0142	2229CAM		2829CAM		2437M	4412M		1673



Tire Size	RUD Super-greifsteg page 19	RUD-matic Classic V page 20	Grip 4x4 page 21	Highway Service		V-Bar		Mud Service		Wide Base *Dual Mount page 23	Cable page 24
				Single page 22	Dual Triple page 22	Single page 23	Dual Triple page 23	Single page 24	Dual page 24		
31x9.5-15										3227R	
31x10.5-15LT	22141	19641	0141							3210R	1669
31x11.5-15LT	22157									3227R	
31x12.5-15										3227R	1675
31x13.50-15										3229R	
31x15.5-15										3227R	
32x9.5-15										3227R	
32x11.5-15LT	22159		0160							3227R	1675
32x12.5x15	22166									3229R	1675
33x9.50-15LT			0160							3227R	1669
33x10.5-15			2532							3229R	
33x12.50R15	22166	19666	2533							3229R	
33x13.5-15										3227R	
33x14.5-15										3229R	
34x9.50-15										3227R	1673
35x14-15										3235R	
35x14.5-15										3249R	
35x15-15										3237R	
35x15.5-15	22556									3237R	
36x12.5-15										3235R	
36x14-15										3251R	
36x14.50R15										3237R	
37x12.5-15	22184									3235R	
37x14.5-15										3251R	
38x12.5-15										3259R	
38x14.5-15										3259R	
<b>16 Inch</b>											
6.50-16LT	22139	19639	0139	2216CAM		2816CAM		2433M		3237R*	1661
7.00-16LT	22147	19642	0142	2219CAM	4219CAM	2819CAM	4819CAM	2435M	4435M		
7.50-16LT	22153	19641	0141	2221CAM	4221CAM	2821CAM	4821CAM	2437M	4412M	3251R*	1669
8.25-16				2228CAM		2828CAM					
8.75-16				2237CAM				2435M	4435M		
9.00-16LT				2237CAM							
30x9.5-16				2229CAM		2829CAM					
31x10.5-16										3210R	
31x11.5-16				2229CAM		2829CAM					
32x11.5-16										3227R	
33x13.5-16										3227R	
34x9-16										3227R	
35x12.5-16	22550									3235R	
35x13.5-16										3229R	



Tire Size	RUD Super-greifsteg page 19	RUD-matic Classic V page 20	Grip 4x4 page 21	Highway Service		V-Bar		Mud Service		Wide Base *Dual Mount page 23	Cable page 24
				Single page 22	Dual Triple page 22	Single page 23	Dual Triple page 23	Single page 24	Dual page 24		
36x13.5-16										3235R	
36.5x14-16										3235R	
38x15-16										3265R	
175/75R16		19633	0133								
195/75-16	22139	19638	0138	2216CAM		2816CAM					
205/75-16	22139	19639	0139	2216CAM		2816CAM					
205/80-16	22146	19643	0143	2229CAM		2829CAM					
215/65-16				2216CAM		2816CAM					
215/70-16	22139	19639	0139	2216CAM		2816CAM					
215/75-16	22146	19643	0143	2216CAM		2816CAM					
215/80R16LT		19642	0142	2219CAM	4219CAM	2819CAM	4819CAM				
215/85R16LT		19642	0142	2219CAM	4219CAM	2819CAM	4819CAM	2435M			1665
225/70-16	22149	19643	0143	2216CAM		2816CAM					1661
225/75R16LT	22149	19642	0142	2219CAM	4219CAM	2819CAM	4819CAM	2435M			1665
225/85-16				2228CAM		2828CAM					1669
235/60-16		19639	0139	2216CAM		2816CAM					
235/70R16LT	22147	19642	0142	2229CAM		2829CAM		2435M			1665
235/75R16LT		19642	0142	2219CAM	4219CAM	2819CAM	4819CAM				1665
235/80R16	22153	19641	0141								
235/85R16LT	22157	19657	0157	2221CAM	4221CAM	2821CAM	4821CAM	2437M	4412M		1669
245/70R16		19642	0142	2229CAM		2829CAM					1665
P245/75R16	22141	19641	0141	2221CAM	4221CAM	2821CAM	4821CAM				1669
245/85-16			0160	2228CAM		2828CAM					1663
255/60-16		19650	0142								
255/65-16			0142	2229CAM		2829CAM					1665
255/70R16LT	22141	19641	0141	2229CAM		2829CAM					1669
255/75-16		19657	0157	2216CAM		2816CAM					
255/85R16LT	22161		2532	2228CAM		2828CAM					1675
265/50-16				2229CAM		2829CAM					
265/70-16	22157	19657	0157							3210R	1663
265/75R16LT	22141	19660	0160	2228CAM		2828CAM					1675
265/85-16	22161			2228CAM		2828CAM					1675
275/65R16			0157								
275/70R16LT	22157	19657	0157							3210R	1675
285/75R16LT	22166	19666	2532							3229R	1675
305/70-16	22161		2533							3229R	
305/85-16										3229R	
<b>16.5 Inch</b>											
8.00R16.5			0139	2216CAM		2816CAM					1661
8.75R16.5				2219CAM	4219CAM	2819CAM	4819CAM	2435M			
9.5R16.5				2221CAM	4221CAM	2821CAM	4821CAM				1669



Tire Size	RUD Super-greifsteg page 19	RUD-matic Classic V page 20	Grip 4x4 page 21	Highway Service		V-Bar		Mud Service		Wide Base *Dual Mount page 23	Cable page 24
				Single page 22	Dual Triple page 22	Single page 23	Dual Triple page 23	Single page 24	Dual page 24		
10-16.5	22157			2229CAM		2829CAM					1669
12-16.5										3227R	1675
30x9.5-16.5										3210R	
31x10.5-16.5										3227R	
31x11.5-16.5										3227R	1675
32x11.5-16.5										3227R	
32x12.5-16.5										3229R	
33x10.5-16.5										3227R	
33x12.5-16.5			2533							3229R	
36x12.5-16.5										3235R	
36x14-16.5										3235R	
32x14.5-16.5										3251R	
37x12.5x16.5										3235R	
37x14.5-16.5										3251R	
38x15.5R16.5										3535R	
38.5x15-16.5										3235R	
38.5x16-16.5										3249R	
39.5x15-16.5										3251R	
40x17-16.5										3251R	
44x18.5-16.5										3269R	
<b>17 Inch</b>											
7.00-17LT				2221CAM	4221CAM	2821CAM	4821CAM	2437M	4412M	3251R*	1669
7.50-17				2214CAM		2814CAM		2439M		3265R*	1663
8.25-17				2237CAM							
235/55-17				2219CAM	4219CAM	2819CAM	4819CAM				
235/65-17	22147	19642	0142	2216CAM		2816CAM					1665
235/70R17				2219CAM	4219CAM	2819CAM	4819CAM				
235/80R17				2221CAM		2821CAM					
245/65-17			0142	2229CAM		2829CAM					
245/70-17				2214CAM		2814CAM					
245/75-17				2228CAM		2828CAM					
255/55-17				2229CAM		2829CAM					
255/60-17	22147		0141							3210R	1673
255/70R17			0157								
265/65-17	22141	19657	0157							3210R	
265/70-17		19660	0160	2228CAM		2828CAM					1663
265/75-17				2228CAM		2828CAM					
275/55-17										3210R	
275/60-17			0157	2228CAM		2828CAM					1673
275/70-17			2532							3229R	
285/60-17	22157	19657	0157							3227R	



Tire Size	RUD Super-greifsteg page 19	RUD-matic Classic V page 20	Grip 4x4 page 21	Highway Service		V-Bar		Mud Service		Wide Base *Dual Mount page 23	Cable page 24
				Single page 22	Dual Triple page 22	Single page 23	Dual Triple page 23	Single page 24	Dual page 24		
285/70R17			2532							3229R	
31x10.5-17										3210R	
33x12.5-17										3229R	
<b>17.5 Inch</b>											
8.50-17.5	22153	19657	0157	2219CAM	4219CAM	2819CAM	4819CAM				
9x17.5				2237CAM							
9.5-17.5	22159	19660	0160								
10R17.5	22161	19662		2237CAM							
11R17.5				2239CAM	4239CAM	2839CAM	4839CAM				
14x17.5										3235R	
205/75-17.5	22147	19642	0142	2219CAM		2819CAM					
215/70-17.5				2219CAM	4219CAM	2819CAM	4819CAM	2435M			1673
215/75-17.5	22147	19659	0141	2219CAM	4221CAM	2819CAM	4821CAM	2437M	4412M		1673
225/70-17.5				2214CAM		2814CAM		2439M			1663
225/75-17.5	22153	19657	0157	2221CAM		2821CAM					
235/75-17.5	22157	19657	0157					2441M	4435M	3210R	
245/70-17.5	22157	19657	0157	2228CAM		2828CAM					
245/75-17.5				2219CAM		2819CAM					
<b>18 Inch</b>											
235/55R18		19643	0143								
235/60R18		19642	0142								
255/55R18			0142	2229CAM		2829CAM					1665
255/60R18	22141	19641	0141								
265/60R18		19657	0157							3227R	
265/70R18			2532								
275/65-18			2532								
275/70R18		19662	2532							3235R	
285/60-18			2532							3227R	1675
285/65-18			2532								
35x10.5x18										3235R	
<b>19 Inch / 19.5 Inch</b>											
255/55R19	22141	19641	0141								
8-19.5	22159			2214CAM		2814CAM		2439M		3259R*	1663
9.5-19.5										3261R	
15-19.5										3265R	
16.5-19.5										3255R	
18-19.5	22211									3257R	
225/70R19.5		19657		2221CAM	4221CAM	2821CAM	4821CAM	2439M			
245/70R19.5	22159	19658		2233CAM				2439M			1675
265/70-19.5	22161	19661		2241CAM	4241CAM	2841CAM	4841CAM				
285/70-19.5	22163	19663								3235R	



Tire Size	RUD Super-greifsteg page 19	RUD-matic Classic V page 20	Grip 4x4 page 21	Highway Service		V-Bar		Mud Service		Wide Base *Dual Mount page 23	Cable page 24
				Single page 22	Dual Triple page 22	Single page 23	Dual Triple page 23	Single page 24	Dual page 24		
305/70-19.5	22177	19677									
445/65-19.5										3271R	
<b>20 Inch</b>											
7.00-20				2233CAM						3265R*	
7.50-20				2237CAM				2441M	4435M	3267R*	
8.25-20		19676		2239CAM	4239CAM	2839CAM	4839CAM	2441M	4435M	3269R*	
9.00-20	22184	19684		2241CAM	4241CAM	2841CAM	4841CAM	2445M	4437M	3273R*	
10.00-20	22188	19688		2245CAM	4245CAM	2845CAM	4845CAM	2448M	4448M	3275R*	
10.5-20	22557			2241CAM	4241CAM	2841CAM	4841CAM				
11.00-20	22190	19694		2251CAM	4251CAM	2851CAM	4851CAM	2452M	4461M	3277R*	
12.00-20	22202	19702		2255CAM				2486M	4486M		
12.5-20	22187										
13.00-20	22211			2257CAM							
13/80R20	22189			2255CAM			4855CAM	2486M	4486M		
14.00-20	22220			2271CAM							
14.5-20	22201										
275/55-20			2532							3229R	
275/60-20			2532	2228CAM		2828CAM				3227R	
285/55R20			2532								
305/50R20			2533								
305/55-20										3229R	
335/80-20	22187										
355/80R20										3255R	
365/80R20	22209			2257CAM							
365/85-20	22211										
375/75-20	22201										
395/85-20	22215										
<b>22 Inch</b>											
10.00-22				2249CAM	4249CAM	2849CAM	4849CAM	2452M	4461M	3277R*	
11.00-22				2255CAM				2486M	4486M		
<b>22.5 Inch</b>											
9-22.5	22557	19676		2239CAM	4239CAM	2839CAM	4839CAM	2441M	4435M	3269R*	
10-22.5	22184	19684		2241CAM	4241CAM	2841CAM	4841CAM	2445M	4437M	3273R*	
11-22.5	22188	19688		2245CAM	4245CAM	2845CAM	4845CAM	2448M	4448M	3275R*	
12-22.5	22190	19694		2251CAM	4251CAM	2851CAM	4851CAM	2452M	4461M		
12.5-22.5				2251CAM							
13-22.5	22202	19702								3255R	
15.22-2	22201									3255R	
18-22.5	22217									3261R	
225/70-22.5				2237CAM							
235/80R22.5				2237CAM				2441M	4435M		



Tire Size	RUD Super-greifsteg page 19	RUD-matic Classic V page 20	Grip 4x4 page 21	Highway Service		V-Bar		Mud Service		Wide Base *Dual Mount page 23	Cable page 24
				Single page 22	Dual Triple page 22	Single page 23	Dual Triple page 23	Single page 24	Dual page 24		
245/70-22.5				2239CAM	4239CAM	2839CAM	4839CAM				
245/75R22.5	22177	19677		2239CAM	4239CAM	2839CAM	4839CAM	2441M	4435M		
245/80-22.5				2239CAM	4239CAM	2839CAM	4839CAM				
255/70R22.5	22175	19675		2239CAM	4239CAM	2839CAM	4839CAM	2441M	4435M		
255/80R22.5				2239CAM	4239CAM	2839CAM	4839CAM	2441M	4435M		
265/75R22.5				2241CAM	4241CAM	2841CAM	4841CAM	2445M	4437M		
275/70R22.5	22556	19678		2245CAM	4245CAM	2845CAM	4845CAM	2448M	4448M		
275/80R22.5	22188	19688		2245CAM	4245CAM	2845CAM	4845CAM	2452M	4437M		
285/75-22.5				2247CAM	4247CAM	2847CAM	4847CAM				
295/60-22.5	22177	19677									
295/70-22.5	22184	19684									
295/75R22.5	22188	19684		2247CAM	4247CAM	2847CAM	4847CAM	2452M	4461M		
295/80R22.5	22189	19689		2251CAM	4251CAM	2851CAM	4851CAM	2470M			
305/60-22.5	22556	19678									
305/70-22.5	22184	19684									
315/60-22.5	22184	19683									
315/70-22.5	22187	19687									
315/75-22.5	22189	19689		2251CAM	4251CAM	2851CAM	4851CAM				
315/80R22.5	22190	19690		2255CAM				2486M	4486M		
385/65R22.5	22201	19702								3255R	
425/65R22.5	22211									3271R	
445/50-22.5										3269R	
445/65R22.5	22217									3261R	
455/55-22.5										3269R	
<b>24 Inch</b>											
11.00-24				2253CAM				2470M			
14.00-24	22231			2273CAM							
<b>24.5 Inch</b>											
11-24.5				2249CAM	4249CAM	2849CAM	4849CAM	2452M	4461M		
12-24.5				2255CAM				2486M	4486M		
275/80R24.5				2247CAM	4247CAM	2847CAM	4847CAM	2452M	4461M		
285/75R24.5				2247CAM	4247CAM	2847CAM	4847CAM	2452M	4461M		
285/80-24.5				2249CAM	4249CAM	2849CAM	4849CAM				
305/75-24.5				2255CAM							
315/75-24.5				2255CAM							

# RUD-comfort CENTRAX



Meets SAE class "S" clearance requirements.

### Benefits for the user:

- Easy, stationary fitting
  - fits from the front of the wheel, in any position
  - no reaching into the wheel well or the tire inner sidewall
  - positions itself automatically when the tires turn
- Excellent grip on ice and snow

### Excellent technology:

- Chrome-manganese alloy steel
- No inner side chain – for limited clearance vehicles
- Chain on the road at all times for smooth ride & superior traction
- Easy to adjust to different size tires

Stock #	Weight / pr.
4715546	22
4715547	22
4715548	22
4715549	22
4715550	22
4715551	22

# RUD-matic CLASSIC



Meets SAE class "S" clearance requirements.

### The 'matic' system, tried and tested around the globe for ease of fitting

- Rapid, easy fitting chain
- Locking clasp on front of wheel
- Chain mesh can be reversed for longer life

### Technology that leads the way

- Chromium-manganese fine-grain alloy steel
- High-traction grip links
- Long wearing chain
- Pull-through metal loops for easy and secure positioning of the tensioning chain

Stock #	Weight / pr.
48404	11
48405	11
48410	11
48414	10
48415	11
48450	16
48473	12

Stock #	Weight / pr.
48476	13
48478	13
48479	12
48482	13
48484	13
48489	13

Stock #	Weight / pr.
48492	16
48493	14
48494	14
48495	14
4714329	16
4715833	22





# RUD-compact easy<sup>2</sup>go

- Stationary fitting
- Patented PTC (Permanent Tensioning Device)
- No need for manual retightening
- Integrated rim protection
- Unique wedge-shaped link
- Good tracking properties
- Reversible chain mesh
- Fine-link chain net

Stock #	Weight / pr.
4434004	11
4434073	11
4434079	11
4434082	13
4434084	12
4434089	12
4434093	12
4434094	12
4434095	12



Meets SAE class "S" clearance requirements.

# RUD-compact GRIP

## High-traction Easy Fitting Chain

- Stationary fitting
- Good driving properties
- Reversible chain mesh
- Low Cost

## Reliable Technology

- Sturdy (3.5mm diameter) chain components
- Profiled chain links with optimized traction design

Stock #	Weight / pr.
02-1505	8
02-1510	9
02-1515	10
02-1520	10
02-1525	10
02-1530	11
02-1535	11
02-1540	12

Stock #	Weight / pr.
02-1545	12
02-1547	12
02-1550	12
02-1555	12
02-1560	12
02-1565	12
02-1570	14



Meets SAE class "S" clearance requirements.

# 3.5mm - Square Link

Alloy Square Link - Better Traction - Longer Wear  
Electro-Galvanized



Meets SAE class "S" clearance requirements.

Stock #	Weight / pr.	Cross Chains per 1/2 pr.	Cross Chain Width
1114SL	9	10	10.38"
1118SL	10	11	10.38"
1122SL	11	12	10.38"
1126SL	11	11	11.56"
1130SL	12	12	11.56"
1134SL	13	12	12.74"
1138SL	13	13	12.74"
1142SL	14	13	13.92"
1146SL	17	15	13.92"

# Twist Link

Twist Link Design - Limited Clearance  
Electro-Galvanized

Stock #	Weight / pr.	Replacement Cross Chain Stock #	Cross Chains per 1/2 pr.
1114	9	CC5414	10
1118	9	CC5414	11
1122	10	CC5414	12
1126	10	CC5419	11
1130	10	CC5419	12
1134	11	CC5420	12
1138	12	CC5420	13
1142	12	CC5422	13
1146	14	CC5422	15



Meets SAE class "S" clearance requirements.

# Cable

Case Hardened Rollers on Cross Members - Smoother Ride  
Electro-Galvanized



Meets SAE class "S" clearance requirements.

Stock #	Weight / pr.	Cross Chains per 1/2 pr.	Cross Chain Width
1014	4	10	10.5"
1018	5	11	10.5"
1022	5	12	10.5"
1026	5	11	11.8"
1030	6	12	11.8"
1034	6	12	12.8"
1038	7	13	12.8"
1042	7	13	14.1"
1046	8	14	14.1"

# RUD-profi SUPERGREIFSTEG

- Our best seller
- Continuous chain mesh for maximum traction, smooth running performance and tire protection
- Reversible chain
- Long wearing round chain links
- Alloy steel



Stock #	Weight / pr.
22016	52
22126	29
22128	30
22139	31
22140	40
22141	51
22146	35
22147	34
22149	44

Stock #	Weight / pr.
22153	51
22157	52
22159	52
22161	75
22163	78
22166	77
22175	82
22177	106
22184	89

Stock #	Weight / pr.
22187	122
22188	118
22189	126
22190	119
22201	127
22202	125
22209	139
22211	141
22215	143

Stock #	Weight / pr.
22217	193
22220	154
22231	181
22528	44
22540	48
22550	56
22553	74
22556	82
22557	81

## Rules for Using Tire Chains Important: Pre-fit chains prior to actual use!

- Consult vehicle owner's manual to see if chains can be used.
- Make certain your tire chains are the proper size for your tires. A proper fit is key to performance.
- Be sure to pull off highway to a safe place to install, service or remove tire chains.
- Do not deflate tires to install tire chains.
- Follow directions for installing tire chains. Apply as tight as possible by hand, drive approximately 1/4 mile, stop and retighten.
- Keep chains tight and snug throughout the operation. Extra links may be cut off *on ladder style chains only*. Rubber adjusters may be applied after retightening *on ladder style chains only*. **DO NOT USE** adjusters on cable type chains.
- If a cross chain fails, stop immediately. Repair or remove. **DO NOT** drive with a broken chain.
- Avoid hitting curbs with tire chains.
- Never use tire chains for towing purposes.

# RUD-matic CLASSIC V



The 'matic' system, tried and tested around the globe for ease of fitting.

- Rapid, easy fitting
- Locking clasp on front of wheel
- Chain mesh can be reversed for longer life

Technology that leads the way

- Chromium-manganese fine-grain alloy steel
- High-traction grip links
- Long wearing chain
- Pull-through metal loops for easy and secure positioning of the tensioning chain

Stock #	Weight / pr.
19633	22
19638	22
19639	57
19641	27
19642	24
19643	23
19650	24

Stock #	Weight / pr.
19657	28
19658	37
19660	27
19661	37
19663	42
19666	31

Stock #	Weight / pr.
19675	43
19676	44
19677	46
19678	36
19683	45
19684	47

Stock #	Weight / pr.
19687	49
19688	46
19689	47
19690	51
19694	50
19702	52

# RUD MAMMUT

## European Made Alloy Studded Truck Chain

- Maximum load-carrying capacity and long service life
- Extremely easy to mount and dismount
- Outstanding traction provided by 15mm Power Studs



Tire Size	Stock #	Weight / pr.
11x22.5 Single	4716486	41
11x22.5 Dual	4716494	77
11x24.5 Single	4716492	41
11x24.5 Dual	4716495	77

Parts Description	Stock #	Weight / cross chain
Cross Chain	9300273	2
Hooks	9001829	

# Sprint

- Case hardened alloy steel
- Long life
- No side slippage
- Great traction on or off road
- Smooth running
- Improved braking traction
- Great for fleets



Tire Size	Stock #	mm	Weight / pr.
<b>Singles</b>			
10.00-20; 11x22.5	<b>TN310</b>	7	84
11.00-20; 315/80R22.5; 12R22.5	<b>TN320</b>	7	86
12.00-20; 11.00-22; 13-22.5; 10.00-24	<b>TN330</b>	7	88
<b>Duals</b>			
10.00-20; 11x22.5	<b>TND310</b>	7	91
11.00-20; 315/80R22.5; 12R22.5	<b>TND320</b>	7	94

# GRIP 4x4

- Case hardened alloy steel
- For 4x4 and light commercial use
- Reversible for long life
- Excellent traction on or off road
- Diamond pattern for great side stability
- Economical



Stock #	Weight / pr.
<b>0133</b>	14
<b>0138</b>	14
<b>0139</b>	18
<b>0141</b>	23
<b>0142</b>	23

Stock #	Weight / pr.
<b>0143</b>	21
<b>0157</b>	24
<b>0160</b>	26
<b>2532</b>	30
<b>2533</b>	30

# Highway Service Truck

Recommended for highway use

CAM = Cam Rail Side Chain



## Single

Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
2214CAM	29	CC6221	15
2216CAM	24	CC6221	12
2219CAM	26	CC6221	13
2221CAM	27	CC6221	14
2228CAM	30	CC6225	14
2229CAM	26	CC6225	12
2233CAM	41	CC6251	11
2237CAM	45	CC6251	12
2239CAM	48	CC6251	13
2241CAM	51	CC6251	14
2245CAM	54	CC6251	15
2247CAM	53	CC6253	14
2249CAM	56	CC6253	15
2251CAM	70	CC6260	14
2253CAM	79	CC6260	16
2255CAM	73	CC6263	14
2257CAM	82	CC6263	16
2271CAM	85	CC6266	16
2273CAM	95	CC6266	18

## Dual

Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
4219CAM	47	CC6221	26
4221CAM	50	CC6221	28
4239CAM	85	CC6251	26
4241CAM	90	CC6251	28
4245CAM	96	CC6251	30
4247CAM	94	CC6253	28
4249CAM	101	CC6253	30
4251CAM	123	CC6260	28

# Truck V-Bar Reinforced

Recommended for highway use  
CAM = Cam Rail Side Chain

## Single

Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
2814CAM	32	CC6821	15
2816CAM	26	CC6821	12
2819CAM	28	CC6821	13
2821CAM	30	CC6821	14
2828CAM	32	CC6825	14
2829CAM	28	CC6825	12
2839CAM	51	CC6822	13
2841CAM	55	CC6822	14
2845CAM	58	CC6822	15
2847CAM	57	CC6853	14
2849CAM	61	CC6853	15
2851CAM	74	CC6860	14



## Dual

Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
4819CAM	51	CC6821	26
4821CAM	54	CC6821	28
4839CAM	92	CC6822	26
4841CAM	98	CC6822	28
4845CAM	104	CC6822	30
4847CAM	103	CC6853	28
4849CAM	104	CC6853	30
4851CAM	131	CC6860	28
4855CAM	137	CC6863	28

## Wide Base & Dual Mount

Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
3210R	27	CC6225	13
3227R	37	CC6253	10
3229R	39	CC6259	10
3235R	46	CC6259	12
3237R	40	CC6265	9
3249R	42	CC6267	9
3251R	46	CC6267	10
3255R	69	CC7213	14
3257R	71	CC7213	15
3259R	58	CC7214	11
3261R	84	CC7214	16
3265R	60	CC7215	11
3267R	65	CC7215	12
3269R	73	CC7215	13
3271R	78	CC7215	14
3273R	79	CC7216	12
3275R	83	CC7216	13
3277R	90	CC7216	14

Designed for most 4-wheel drive vehicles & super single tires



# Mud Service

Heavy duty construction for off-road use  
30% more strength than highway service

## Single



Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
2433M	33	CC6256	8
2435M	37	CC6256	9
2437M	42	CC6256	10
2439M	44	CC6260	10
2441M	66	CC6434	11
2445M	73	CC6434	12
2448M	80	CC6434	13
2452M	86	CC6434	14
2470M	99	CC6438	15
2486M	103	CC6438	14

## Dual

Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
4412M	76	CC6256	20
4435M	127	CC6434	22
4437M	137	CC6434	24
4448M	150	CC6434	26
4461M	160	CC6434	28
4486M	175	CC6438	28

# Cable

Affordable traction for highway use



Stock #	Weight / pr.	Cross Chains per 1/2 pr.
1661	11	15
1663	13	12
1665	12	13
1669	13	14
1673	13	14
1675	15	12





## RUD-profi Bison

- Heavy-duty chain with grip links for excellent traction
- Close chain mesh for the best possible performance in rough conditions
- Extremely resistant to wear and fracture
- Excellent service life
- Reversible (both sides can be used)
- High quality alloy steel

Tire Size	Stock #	mm	Weight / pr.
14.00-24	<b>4716345</b>	9	262
17.5-25	<b>4716266</b>	9	269
20.5-25	<b>4715907</b>	9	302
20.5-25DT	<b>4715919</b>	9	331
23.5-25	<b>4716267</b>	9	331
23.5-25DT	<b>4715909</b>	9	363
26.5-25NT	<b>4715918</b>	9	388
23.5-25	<b>4716271</b>	11	436
26.5-25	<b>4716274</b>	11	502



## RUD-profi Alligator

- High grip, square links
- Smooth running
- Reversible (both sides can be used)
- Alloy steel for long life

Tire Size	Stock #	mm	Weight / pr.
335/80-20; 12.5-20	<b>4716219</b>	7	101
365/80-20	<b>4716218</b>	7	110
375/75-20	<b>4716217</b>	7	110
12-22.5	<b>4716222</b>	7	112
295/80-22.5	<b>4716221</b>	7	101
315/80-22.5	<b>4716222</b>	7	110
385/65-22.5	<b>4716217</b>	7	110
14.00-24	<b>4716225</b>	8	179
17.5-25	<b>4716232</b>	8	176
20.5-25	<b>4716233</b>	8	223
23.5-25	<b>4716237</b>	8	246



# RUD Skidder



**Tight Fixed Ring**

Tire Size	Stock #	mm	Weight / pr.
23.1x26	TFX231-34	19	956
24.5x32	TFX245-34	19	1,166
28Lx26	TFX28L-34	19	998
28Lx26	TFX28L-58	16	917
30.5x32	TFX305-34	19	1,184



**Terra**

Tire Size	Stock #	mm	Weight / pr.
20.5x25 L5	12012057	13	730
23.5x25 L5	12012058	13	802
26.5x25 L5	12012059	13	888
23.1x26	TERRA231-16	18	750
16.9x30	TERRA16.9x30-13	13	736



**Regular Fixed Ring**

Tire Size	Stock #	mm	Weight / pr.
18.4x26	RFX184-12	13	472
18.4x26	RFX184-58	16	667
23.1x26	RFX231-58	16	754
24.5x32	RFX245-58	16	988
28Lx26	RFX28L-58	16	798
30.5x32	RFX305-58	16	1,022



**Diamond Studded - Single**

Tire Size	Stock #	mm	Weight / pr.
18.4x26	SDS184-12	13	580
18.4x26	SDS184-58	16	684
23.1x26	SDS231-58	16	726
24.5x32	SDS245-58	16	850
28Lx26	SDS28L-58	16	846
24.5x32	SDS245-34	19	1,080
30.5x32	SDS305-34	19	1,146



**Regular Floating Ring**

Tire Size	Stock #	mm	Weight / pr.
23.1x26	RFL231-58	16	684
28Lx26	RFL28L-58	16	718
24.5x32	RFL245-58	16	817

**Diamond Studded - Double**

Tire Size	Stock #	mm	Weight / pr.
23.1x26	DDS231-58	16	1,006
24.5x32	DDS245-58	16	1,168
28Lx26	DDS28L-58	16	1,172
30.5x32	DDS305-58	16	1,274
30.5x32	DDS305-34	19	1,658
24.5x32	DDS245-34	19	1,640
28Lx26	DDS28L-34	19	1,526
35.5x32	DDS355-34	19	1,918

# Alloy Ring & Net Skidder



Tire Size	Stock #	Weight / pr.
18.4x26	RS184-58	601
23.1x26	RS231-58	703
28Lx26	RS28L-58FL	681
30.5x32	RS305-34	1,182
35.5x32	RS355-34	1,252

# 10mm Alloy Square Grader



- Designed for heavy-duty commercial use
- Alloy steel chain
- Popular ladder style
- 4-link spacing (2-link also available)
- Square link chain

Tire Size	Stock #	Weight / pr.
13.00-24/25; 14.00-20/21; 15.5-25	2612SQ	126
14.00-24; 14.00-25	2615SQ	135
16.00-20/21; 17.5-25	2624SQ	148
16.00-24; 16.00-25	2627SQ	220
20.5-25	2633SQ	232
18.00-25; 18.00-24; 18.00-26	2636SQ	250
23.5-25	2645SQ	255

# 10mm Square Diamond Grader



- Diamond design for superior traction
- Alloy steel chain
- Designed for heavy-duty commercial use
- Square link chain

Tire Size	Stock #	Weight / pr.
13.00-24/25; 14.00-20/21; 15.5-25	2612SQ-D	175
14.00-24; 14.00-25	2615SQ-D	182
16.00-20/21; 17.5-25	2624SQ-D	188
16.00-24; 16.00-25	2627SQ-D	196
20.5-25	2633SQ-D	215
18.00-25; 18.00-24; 18.00-26	2636SQ-D	235

# Grader & Equipment

Chains for snow removal, graders, loaders & scrapers

Tire Size	Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
13.00-24/25; 14.00-20/21; 15.5-25	<b>2612G</b>	113	<b>CC6630</b>	14
14.00-24; 14.00-25	<b>2615G</b>	129	<b>CC6630</b>	16
16.00-20/21; 17.5-25	<b>2624G</b>	157	<b>CC6640</b>	13
16.00-24; 16.00-25	<b>2627G</b>	179	<b>CC6640</b>	15
20.5-25	<b>2633G</b>	194	<b>CC6650</b>	14
18.00-25; 18.00-24; 18.00-26	<b>2636G</b>	208	<b>CC6650</b>	15
18.00-33	<b>2642G</b>	248	<b>CC6650</b>	18
23.5-25	<b>2645G</b>	357	<b>CC6660</b>	15
21.00-24; 21.00-25	<b>2648G</b>	383	<b>CC6660</b>	16
26.5-25	<b>2657G</b>	455	<b>CC6670</b>	17



# Double Ring Tractor

Self cleaning

Designed for use on soft terrain

Tire Size	Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
9.5-24; 7.2-24; 8.3-24	<b>NW732</b>	75	<b>NW204</b>	10
9.5-28; 11.2-24	<b>NW736</b>	89	<b>NW204</b>	12
9.5-32; 11.2-28; 12.5x18x18	<b>NW738</b>	97	<b>NW204</b>	13
9.5-36; 11.2-32; 9.5-38; 11.2-34	<b>NW744</b>	118	<b>NW204</b>	16
9.5-40; 11.2-36; 11.2-38	<b>NW746</b>	126	<b>NW204</b>	17
12.4-24	<b>NW752</b>	103	<b>NW206</b>	12
12.4-28; 13.6-24	<b>NW756</b>	112	<b>NW206</b>	13
13.6-26	<b>NW758</b>	119	<b>NW206</b>	14
13.6-28	<b>NW759</b>	128	<b>NW206</b>	15
12.4-36	<b>NW760</b>	136	<b>NW206</b>	16
12.4-38; 13.6-36	<b>NW764</b>	145	<b>NW206</b>	17
12.4-42; 13.6-38	<b>NW766</b>	153	<b>NW206</b>	18
14.9-24	<b>NW772</b>	130	<b>NW210</b>	12
14.9-26	<b>NW773</b>	140	<b>NW210</b>	13
14.9-28; 16.9-24	<b>NW774</b>	150	<b>NW210</b>	14
14.9-30; 16.9-26; 16.9-28; 16.9-30	<b>NW777</b>	162	<b>NW210</b>	15
16.9-32	<b>NW778</b>	172	<b>NW210</b>	16
14.9-38; 16.9-34; 15.5-38	<b>NW779</b>	182	<b>NW210</b>	17
18.4-26	<b>NW783</b>	167	<b>NW211</b>	14
18.4-30	<b>NW785</b>	190	<b>NW211</b>	16
18.4-34; 16.9-38	<b>NW787</b>	202	<b>NW211</b>	17
18.4-38	<b>NW789</b>	225	<b>NW211</b>	19



# Duo Tractor

Designed for off-road use only  
Chain stays on the tread for superior traction



Tire Size	Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
9.5-24; 9.5-28; 11.2-24	DUO214	106	DUO292	8
9.5-32; 11.2-28; 355/80-20	DUO226	117	DUO292	9
11.2-34; 11.2-36	DUO224	142	DUO292	11
9.5R40; 8.3R44	DUO228	155	DUO292	12
9.5R44	DUO227	168	DUO292	13
10.5/80-18; 12.5/80-18	DUO225	96	DUO293	6
12.4-24	DUO229	124	DUO293	9
11.2-32; 12.4-28; 9.5-36; 9.5-38	DUO218	137	DUO293	10
11.2-38; 12.4-36; 12.4-38	DUO232	164	DUO293	12
13.6-28; 320/85R-34; 13.9-36	DUO242	158	DUO294	11
13.6-36; 13.6-38;	DUO246	172	DUO294	12
11.2R48; 12.4-40; 12.4-42	DUO247	185	DUO294	13
13.6-24; 13.6-26; 14.9-24	DUO240	136	DUO295	9
14.9-26	DUO250	151	DUO295	10
14.9-28; 14.9-30; 380/85R28	DUO252	166	DUO295	11
16.9-24	DUO260	157	DUO296	10
14.9-38; 15.5-38	DUO254	188	DUO296	12
17.5L-24	DUO263	143	DUO297	8
16.9-26; 16.9-28	DUO262	165	DUO297	10
16.9-30; 16.9-32	DUO266	180	DUO297	11
16.9-34	DUO270	195	DUO297	12
320/90-50; 12.4-52	DUO255	215	DUO297	13
14.9-46; 420/80R-46; 12.4-54	DUO256	225	DUO297	14
12.4-48	DUO259	243	DUO297	15
18.4-16.1; 21.5L-16.1	DUO264	130	DUO298	7
18.4-24; 19.5L-24	DUO268	165	DUO298	9
18.4-26; 18.4-28; 18.4-30	DUO271	190	DUO298	10
18.4-34	DUO273	203	DUO298	11
16.9-38; 18.4-38; 20.8-34	DUO272	220	DUO298	12
18.4-42; 18.4-46	DUO277	258	DUO298	14
21L24; 20.5-25	DUO275	159	DUO299	8
20.8-38	DUO276	256	DUO299	13
23.1-26; 23.1-28	DUO280	211	DUO302	10
23.1-30; 28L26	DUO281	232	DUO302	11
24.5-32; 23.1-34; 28.1-34	DUO282	253	DUO302	12

# Roadmaster

Designed for on and off-road service

Tire Size	Tire Chain Stock #	Wt. / pr.	Cross Chain Stock #	Cross Chains per 1/2 pr.
8.3-24	RM822	70	CC6434	11
9.5-16	RM829	58	CC6434	9
9.5-24	RM832	77	CC6434	12
11.2-24; 9.5-28	RM836	87	CC6445	12
11.2-28; 9.5-32	RM838	101	CC6445	14
11.2-34; 11.2-36	RM846	123	CC6445	17
13.6-16; 38x1400x20	RM850	79	CC7420	10
12.4-24	RM852	94	CC6445	13
12.4-28	RM856	108	CC6445	15
13.6-24; 13.6-26	RM858	108	CC7420	14
13.6-28; 14.9-24	RM859	115	CC7420	19
11.2-38; 12.4-36; 12.4-38	RM862	130	CC6445	18
13.6-38; 12.4-42; 13.6-36	RM866	148	CC7420	19
14.9-26; 14.9-28; 380/85R28	RM869	125	CC7420	16
14.9-38	RM871	154	CC7420	20
16.9-24; 17.5L-24	RM874	125	CC7426	15
16.9-26; 16.9-28; 14.9-30	RM876	138	CC7426	16
16.9-30	RM877	146	CC7426	17
16.9-34; 15.5-38	RM879	155	CC7426	18
16.9-38	RM880	172	CC7426	20
18.4-16.1; 44x18x20	RM881	132	CC9562	10
21.5-16; 21.5L-16.1; 12.5x80x18	RM882	156	CC9562	12
18.4-26; 19.5L24; 18.4-24; 465x85R22.5	RM883	168	CC9562	13
18.4-28; 550x60x22.5	RM884	181	CC9562	14
18.4-30; 21L24	RM885	193	CC9562	15
18.4-34	RM887	205	CC9562	16
18.4-38	RM889	218	CC9562	17
20.8-34	RM890	234	CC6650	17
23.1-26	RM891	213	CC9567	14
20.8-38	RM892	249	CC6650	18
23.1-30	RM893	243	CC9567	16
18.4-42	RM894	244	CC9562	19



# Snow Hog Tractor

Heavy duty for deep lug tires

Tire Size	Stock #	Weight / pr.
4.00/4.80x8	GT1301SH	13
16x6.50x8	GT3300SH	14
4.10/3.50x5; 4.10/3.50x6; 12x3.50x6; 12.25x3.50x6	GT3302SH	6
13x5x6	GT7129SH	7
4.10x3.50x4; 3.40x3.00x5	GT7106SH	8

## ATV

V-Bar for added traction



Tire Size	Stock #	Weight / pr.
22x11x8	ATV-101	13
25x12x9	ATV-102	15
25x13x9	ATV-103	18
26x12x12	ATV-104	22

## Alloy- Forklift

“Hardness, Strength and Toughness”  
7mm Square Link Alloy

- High performance cross chain
- Resistant to breakage
- Longer lifetime



Tire Size	Stock #	Weight / pr.
6.50-10	2208MFG-R-FL	15
7.50-10; 25x8.50-14	2210MFG-R-FL	18
7.00-12; 25x8.50-15	2213MFG-R-FL	20
7.00-15; 28x9-15; 28x9.5-15; 8.15-15	2216MFG-R-FL	22
7.50-15/32"	2221MFG-R-FL	25
23x10.5x12	2225MFG-R-FL	18
8.25-15	2228MFG-R-FL	27
250-15; 27x10.5-15	2229MFG-R-FL	24
14-17.5	3235MFG-R-FL	46
300-15; 32x12.1x15	3229MFG-R-FL	38
15x19.5	3265MFG-R-FL	59

2-Link spacing available by special order  
8mm available upon request

# Snow Blower & Garden Tractor

- Twist link hardened carbon steel
- Available in 2-link or 4-link spacing for better traction



Tire Size	2-Link Spacing		4-Link Spacing	
	Stock #	Wt. / pr.	Stock #	Wt. / pr.
10/10.5x2.75; 10.25x3.25; 10x3.50	GT3301	3	-	-
12x3	GT3308	4	-	-
4.10/3.50x4; 3.40/3.00x5	GT7106	3	-	-
4.10/3.50x5; 4.10/3.50x6; 12x3.50x6; 12.25x3.50x6	GT3302	4	-	-
5.30/4.50x6	GT3309	8	-	-
13x5x6	GT7129	9	-	-
4.00/4.80x8	GT1301	11	-	-
5.00/5.70x8	GT3303	14	-	-
16x6.50x8; 15x6.00x6	GT3300	12	-	-
18x6.50x8	GT3312	13	-	-
18x8.50x8	GT3307	15	GT3311	10
18x9.50x8; 18x9.50x9	GT3305	18	GT3306	11
20x10x8; 20x10x10; 19x9.50x8	GT7145	19	GT5320	12
20x8.00x10; 20x8x8	GT1308	19	GT5318	12
6x12; 23x7.50x12	GT5313	20	GT5312	14
8x12; 23x8.50x12	GT4300	22	GT4301	13
12x12; 26x12x12; 27x12x12	GT5308	29	GT5306	18
23x9.50x12; 23x10.50x12; 24x10.50x12	GT5307	24	GT5303	14
8x15; 25x8.5x14; 27x8.50x15	GT1307	29	GT1309	18
27x9.50x15	GT5305	33	GT5304	20
29x12x15; 8x18	GT5323	67	GT5316	41
31x15.5x15; 33x12.5x15; 31x12.00x15	GT5324	99	GT9100	58
8x16; 8.5x16.5	-	-	GT1310	19



# Skid Steer



## 4-Link Spacing - 7mm Ladder - Square Link Alloy

Tire Size	Stock #	Weight / pr.
10x16.5	2229-SS	26
12x16.5	3227-SS	37
14x17.5	3235-SS	46
15x19.5	3265-SS	58

8mm available upon request



## Howy "H" Pattern - 8mm Alloy - Round Link

Tire Size	Stock #	Weight / pr.
10x16.5	2229H-SS	64
12x16.5	3227H-SS	77
14x17.5	3235H-SS	106

# Repair Parts, Tools & Accessories

## Wire Diameter Reference Chart

Trade Size	Decimal Diameter	Fractional	Metric (mm)	Actual Min. / Max.
#1	.162	-	4.11	.160 / .163
1/0	.177	11/64	4.50	.174 / .177
2/0	.192	3/16	4.88	.189 / .193
3/0	.207	13/64	5.26	.205 / .208
4/0	.218	7/32	5.54	.210 / .213
.234	.234	15/64	5.94	.234 / .238
6/0	.281	9/32	7.14	.275 / .279
7/0	.312	5/16	7.92	.298 / .303
9/0	.375	3/8	9.53	.364 / .369
11/0	.437	7/16	11.10	.425 / .430
14/0	.531	17/32	13.49	.520 / .525

**Twist Link Cross Chain - Hardened**  
Bright Finish - Standard Package



**Domestic**

Stock #	Size	Material Diameter		Pitch Length	Ft. / Carton	Wt. / 100 ft.
		Inches	Decimal			
2331-512-25	1/0	3/16	.177	1.18	100	25
2539-512-25	3/0	13/64	.207	.92	100	35
2549-512-25	.234	15/64	.234	1.00	100	47
2553-512-25	6/0	9/32	.281	1.25	100	65
2556-512-25	7/0	5/16	.312	1.39	100	77
2563-502-25	9/0 TRUCK	3/8	.375	1.265	100	124
2563-500-25	9/0 TRACTOR	3/8	.375	1.65	100	115
2569-502-25	11/0	7/16	.437	1.563	50	166
2579-511-25	14/0	17/32	.531	1.734	50	254

**Import**

Stock #	Size	Material Diameter		Pitch Length	Ft. / Carton	Wt. / 100 ft.
		Inches	Decimal			
CC6/0	6/0	9/32	.281	1.25	100	65
CC7/0	7/0	5/16	.312	1.39	100	77
CC9/0	9/0	3/8	.375	1.265	100	124
CC11/0	11/0	17/16	.437	1.57	50	166

**Straight Link Side Chain - Unhardened**  
Shot Blast Finish



**Domestic**

Stock #	Nominal Size	Material Diameter		Weight / 100 ft.	Pitch Length
		Inches	Decimal		
1643-507-04	4/0	7/32	.218	34	1.39
2253-542-02	6/0	9/32	.281	60	1.81
2256-542-02	7/0 TRUCK	5/16	.312	68	1.92
2255-542-02	7/0 TRACTOR	5/16	.312	66	2.127
2263-542-02	9/0	3/8	.375	104	2.17
2269-542-02	11/0	7/16	.437	140	2.33

**Square Link Alloy Cross Chain - Bulk- Continuous - Hardened**

Bulk Stock #	Size	Material Diameter	Wt. / 100 ft.
9656080	7/0	8mm	110
9001955	9/0	10mm	161



## Replacement Cross Chain

<b>Cross Chain Stock #</b>	<b>Weight / each</b>	<b>Wire Size</b>	<b># of Links</b>	<b>Inside Length with hooks - inches</b>	<b>Hook Stock #</b>
CC5414	.3	.177	7	10.38	7900-177-00
CC5419	.2	.177	8	11.56	7900-177-00
CC5420	.3	.177	9	12.74	7900-177-00
CC5422	.3	.177	10	13.92	7900-177-00
CC6221	.6	.234	10	13.12	7900-250-00
CC6225	.7	.234	12	15.12	7900-250-00
CC6251	1	.281	9	14.37	7900-271-00
CC6253	1.1	.281	10	15.62	7900-271-00
CC6256	1.2	.312	8	14.62	7900-290-00
CC6259	1.2	.281	12	18.12	7900-271-00
CC6260	1.3	.312	9	16.01	7900-290-00
CC6263	1.4	.312	10	17.40	7900-290-00
CC6265	1.4	.281	16	23.12	7900-271-00
CC6266	1.5	.312	11	18.79	7900-290-00
CC6267	1.5	.281	17	24.37	7900-271-00
CC6434	2.0	.375	11	17.42	7900-290-00
CC6438	2.4	.375	13	19.50	7900-320-00
CC6445	2.5	.375	14	21.14	7900-320-00
CC6630	2.8	.375	17	25.01	7900-320-00
CC6640	4.2	.437	15	28.19	7900-317-00
CC6650	5.2	.437	19	34.44	7900-317-00
CC6660	8.4	.531	20	39.42	7900-317-00
CC6670	9.6	.531	23	44.62	7900-317-00
CC6821	.7	.234	10	13.12	7900-250-00
CC6822	1.0	.281	9	14.37	7900-271-00
CC6825	.8	.234	12	15.12	7900-250-00
CC6853	1.2	.281	10	15.62	7900-271-00
CC6860	1.5	.312	9	16.01	790-290-00
CC6863	1.6	.312	10	17.40	7900-290-00
CC7213	1.6	.312	13	21.57	7900-290-00
CC7214	1.8	.312	14	22.96	7900-290-00
CC7215	1.9	.312	15	24.35	7900-290-00
CC7216	2.2	.312	20	31.30	7900-290-00
CC7420	2.8	.375	16	23.66	7900-320-00
CC7426	3.2	.375	19	27.44	7900-320-00
CC9562	4.6	.437	17	31.29	7900-317-00
CC9567	5.9	.437	22	39.10	7900-317-00
DUO292	5.0	.375	9	18.35	7900-320-00
DUO293	5.5	.375	10	20.00	7900-320-00
DUO294	5.8	.375	11	21.65	7900-320-00

## Replacement Cross Chain (cont.)

Cross Chain Stock #	Weight / each	Wire Size	# of Links	Inside Length with hooks - inches	Hook Stock #
DUO295	6.1	.375	12	23.30	7900-320-00
DUO296	6.1	.375	13	24.95	7900-320-00
DUO297	6.5	.375	14	26.60	7900-320-00
DUO298	6.8	.375	17	31.55	7900-320-00
DUO299	7.7	.375	19	34.85	7900-320-00
DUO302	8.3	.375	22	40.50	7900-320-00
NW204	2.6	.312	5	19.05	7900-320-00
NW206	3.1	.312	7	22.55	7900-320-00
NW210	4.2	.312	11	29.55	7900-320-00
NW211	4.8	.312	13	33.55	7900-320-00

## Cross Chain Hooks

### Regular & Swivel

Stock #	Material Size		Description	Std. Pkg. Qty.	Weight per pkg.
	Inches	Decimal			
7900-177-00	3/16	.177	PASS. CAR (1100 & 1900)	50	2
7900-230-00	13/64	.207	PASS. CAR (1200 & 1800)	50	3
7900-250-00	1/4	.250	LIGHT TRUCK	50	4
7900-271-00	5/16	.312	MEDIUM TRUCK	50	8
7900-290-00	3/8	.375	HEAVY TRUCK	50	13
7900-320-00	13/32	.406	TRACTOR	50	16
7900-317-00	7/16	.437	GRADER	50	22
7990-408-25*	7/16	.437	*9/0 SWIVEL HOOK	50	11
7990-413-25	9/16	.563	11/0 SWIVEL HOOK	50	23



## Side Chain Fasteners

Stock #	Type	Use With	Weight / each
7015-308-04	W8	Passenger	.1
SL713	SL713	Light Truck	.3
LG713	LG713	Medium & Heavy Truck	.5
714F	714	Heavy Grader	1.0



## Quick Hooks

Inside Fastener



Stock #	Material Size		Description	Weight each
	Inches	Decimal		
5401	1/4	.250	Light Truck	.1
5402	11/32	.344	Medium Truck	.2
5403	13/32	.406	Heavy Truck	.3

## Cross Chain Repair Links

Emergency



Stock #	Material Size		Description	Weight each
	Inches	Decimal		
7989-333-03	13/64	.207	Passenger Car	.04
7989-253-02	1/4	.250	Light Single Truck	.04
7989-263-02	9/32	.281	Medium Duty	.06
7989-273-02	5/16	.312	Heavy Duty	.1

## Chain Repair Pliers




Stock #	Type	Description	Weight / each
7301	Small	Regular Passenger	1
7303	Large	Truck	4
7302	X-Large	All Truck / Tractor	7

## Tire Chain Adjusters



Stock #	Type	Use With	Weight / each
29110	RA1	Passenger Car - Rubber	.9
29225	RA10	Light Truck - Rubber	1
29229	RA20	Heavy Truck - Rubber	2

## Replacement "T" Handles for Cam Chains



Stock #	Type	Weight / each
2801TH	Light Truck	.5
2800TH	Heavy Truck	.5

# RUD Spare Parts

## Grip 4x4

Stock #	Description
14923	Tension Chain Hook
16909	Tension Chain Lock
16910	Tension Chain Lock
21862	Cross Chain Side Hook



Stock #	Description
21888	End Hook
28864	Cross Chain Repair Link
28866	Repair Link



## Centrax

Stock #	Description
16874	10mm Nut for Adapter
2400701	21mm Adapter
2400702	22mm Adapter
2400703	24mm Adapter
2400857	22mm Nut for Adapter
9297217	17mm Adapter
9296395	19mm Adapter



## Bison, Supergreifsteg, Alligator

Stock #	Description
18742	7mm Central Fastener
18743	7mm Central Fastener
18744	9mm Central Fastener
18745	9mm Central Fastener
19762	8mm Central Fastener
19763	8mm Central Fastener
26959	7-8mm Coupling



Stock #	Description
26978	7-8mm Tension Chain Safety
28877	8mm Repair Link
39115	7-8mm End Hook
39184	7mm Cross Chain Hook
39185	8mm Cross Chain Hook
39209	9mm Repair Link
60878	7mm Repair Link

