NITRILE CHEMICAL RESISTANT GLOVES

	Style	Catalog Number	Size	Gauge/ Length	Grip/ Cuff	Packaging
OPTINIT® NITRILE (NBR) GLOVES				-	,	
472						
Optinit has the sensitivity and dexterity of a thin disposable glove, but offers a higher level of protection. Features a light but effective grip pattern, which provides optimum grip without marring product surface.	472 Unlined	47241	6-10	8 mil (0.20 mm) 12.0⁼ (30.5 cm)	Pebble Grip Flat Cuff	100 pr/case, 10 pr/bay 10 bags/case
STANSOLV® NITRILE (NBR) GLOVES						
A-30						
Single dipped light-weight nitrile offers excellent dexterity and protection, along with pebble grip for unmarred product finishes.	A-30 Unlined	48142	6-11	11 mil (0.28 mm) 13.0" (33 cm)	Pebble Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case
A-35						
Double dipped medium-weight nitrile offers added protection against thin spots, along with non-marring product finishes from pebble grip.	A-35 Unlined Double Layer	48242	6-11	15 mil (0.38 mm) 13.0" (33 cm)	Pebble Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case
AF-38						
Double dipped medium-weight flock nitrile offers added protection against pinholes, along with pebble grip for unmarred product finishes.	AF-38 Flock-Lined Double Layer	48442	6-11	18 mil (0.46 mm) 13.0" (33 cm)	Pebble Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case
A-10						
Single dipped light-weight nitrile provides outstanding dexterity and protection. Z-pattern insures secure grip with hard-to-grasp materials.	A-10 Unlined	47042	6-11	11 mil (0.28 mm) 13.0" (33 cm)	Embossed Z-Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case
A-15						
Double dipped medium-weight nitrile provides added protection. Z-pattern grip channels fluids away from working surface.	A-15 Unlined Double Layer	47941	6-11	15 mil (0.38 mm) 13.0⁼ (33 cm)	Embossed Z-Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case
AF-18						
Double dipped medium-weight flock nitrile provides added protection and comfort. Z-pattern grip channels fluids away from working surface.	AF-18 Flock-Lined Double Layer	48342	6-11	18 mil (0.46 mm) 13.0" (33 cm)	Embossed Z-Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case
AK-22						
Unique patented separate shell-liner construction makes the AK-22 the most liquid-tight knit-lined glove available.	AK-22 Knit-Lined	38141	7-11	Medium Wt. 14.0" (35.5 cm)	Embossed Z-Grip Pinked Cuff	72 pr/case, 12 pr/bag 6 bags/case
STANSOLV® HEAVYWEIGHT NITRILE (NBR) GLOVES						
AF-428						
Flock nitrile offers high level of chemical resistance. For use in dry, oily and greasy conditions.	AF-428 Flock-lined Double Layer	49642	9-11	22 mil (0.56 mm) 12.0° (30.5 cm)	Diamond Pattern Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case
<u>A-14</u>						
Heavy-weight double dipped construction provides a barrier against chemical permeation.	A-14 Unlined Double Layer	47455	7-11	22 mil (0.56 mm) 14.0" (35.5 cm)	Embossed Z-Grip Flat Cuff	48 pr/case, 12 pr/box 4 boxes/case
<u>A-18</u>						
18" length provides added forearm protection. Heavy-weight double dipped construction provides a strong chemical permeation barrier.	A-18 Unlined Double Layer	48042	7-11	22 mil (0.56 mm) 18.0" (46 cm)	Embossed Z-Grip Flat Cuff	12 pr/case 1 box/case
AF-493						
Flock nitrile offers high level of chemical resistance. Longer length provides added forearm protection.	AF-493 Flock-lined Double Layer	49342	8-11	22 mil (0.56 mm) 15.5" (39.4 cm)	Diamond Pattern Grip Flat Cuff	48 pr/case, 12 pr/bag 4 bags/case
PROTECTOR™ NITRILE/NATURAL RUBBER GLOVES						
AFR-282						

Nitrile blend over-dip adds superior resistance to cuts, punctures and abrasions, while flock-lined natural rubber body provides excellent comfort and flexibility.	AFR-282 Flock-Lined	29342	S-SXL	28 mil (0.71 mm) 13.0" (33.0 cm)	Chain Grip Flat Cuff	72 pr/case, 1 pr/bag 12 pr/master bag 6 master bags/case



FLUOROELASTOMER/NITRILE CHEMICAL RESISTANT GLOVES

		Style	Catalog Number	Size	Gauge/ Length	Grip/ Cuff	Packaging
	COBRA® FLUOROELASTOMER/NITRILE GLOVES,	MAPA Patent #	6,159,532				
Ø	F-466						
	Patented Fluorosolv bonding process secures the highly chemical resistant Fluoroelastomer polymer to a tough cut, tear and puncture resistant nitrile shell.	F-466 Unlined	46642	8-11	15 mil (0.38 mm) 11.0" (28 cm)	Z-Grip Flat Cuff	1 pr/case
-	F-467						
G	Patented Fluorosolv offers the best protection against highly permeating solvents.	F-467 Unlined	46743	8-11	25 mil (0.64 mm) 14.0" (35.5 cm)	Z-Grip Flat Cuff	1 pr/case

NEOPRENE CHEMICAL RESISTANT GLOVES

STANZOIL[®] KNIT-LINED NEOPRENE GLOVES

NL-34						
Unique neoprene multi-layer construction guarantees to increase the glove's performance in both chemical and mechanical resistance. Two-tone layering provides an added visual wear indicator.	NL-34 Knit-Lined	33494	S-XL	Medium Wt. 12.0" (30.5 cm)	Non-Slip Overdip Roughed Grip Pinked Cuff	72 pr/case, 12 pr/bo 6 boxes/case
NL-36						
Unique neoprene multi-layer two-tone construction, provides an added visual wear indicator. 100% neoprene for excellent chemical protection NL-52	NL-36 Knit-Lined	33642	L-XL	Medium Wt. 12.0" (30.5 cm)	Non-Slip Overdip Roughed Grip Pinked Cuff	72 pr/case, 12 pr/bo 6 boxes/case
100% neoprene multi-layer construction guarantees to increase the glove's performance in both chemical and mechanical resistance. Soft absorbent knit liner provides added comfort.	NL-52 Knit-Lined	33742	8-11	Medium Wt. 14.0" (35.5 cm)	Non-Slip Overdip Roughed Grip Pinked Cuff	48 pr/case, 12 pr/ba 4 bags/case
NK-22						
Unique patented separate shell-liner construction makes the NK-22 the most comfortable liquid-tight knit-lined neoprene glove available.	NK-22 Knit-Lined	38242	7-11	Medium Wt. 14.0" (35.5 cm)	Non-Slip Z-Grip Pinked Cuff	72 pr/case, 12 pr/b 6 bags/case

CHEM-PLY [™] NEOPRENE GLOVES						
N-360						
All-neoprene construction makes the Chem-Ply the most effective chemical barrier glove available. Two-color construction provides a safety indicator.	N-360 Unlined	40695	9-11	22 mil (0.56 mm) 14.0" (35.5 cm)	Z-Grip Flat Cuff	72 pr/case, 12 pr/box 6 bags/case
N-440 [*]						
Multi-layer neoprene construction eliminates thin spots and pinholes.	N-440 Unlined	40795	9-11	30 mil (0.76 mm) 14.0" (35.5 cm)	Z-Grip Flat Cuff	48 pr/case, 6 pr/box 8 boxes/case
N-540 [*]						
All-neoprene construction offers a broad range of chemical protection.	N-540 Unlined	40895	9-11	40 mil (1.01 mm) 14.0" (35.5 cm)	Z-Grip Flat Cuff	48 pr/case, 6 pr/box 8 boxes/case
N-730						
Multi-layer 18" neoprene Chem-Ply provides full length protection for work in deep tanks, vats and other deep liquid applications.	N-730 Unlined	41370	9-11	22 mil (0.56 mm) 18.0" (46 cm)	Z-Grip Flat Cuff	12 pr/case
N-740 [*]						
Multi-layer 18" neoprene Chem-Ply provides full length protection and two-tone safety indicator.	N-740 Unlined	41470	9-11	30 mil (0.76 mm) 18.0" (46 cm)	Z-Grip Flat Cuff	12 pr/case
	All-neoprene construction makes the Chem-Ply the most effective chemical barrier glove available. Two-color construction provides a safety indicator. N-440* Multi-layer neoprene construction eliminates thin spots and pinholes. N-540* All-neoprene construction offers a broad range of chemical protection. N-730 Multi-layer 18" neoprene Chem-Ply provides full length protection for work in deep tanks, vats and other deep liquid applications. N-740* Multi-layer 18" neoprene Chem-Ply provides full	All-neoprene construction makes the Chem-Ply the most effective chemical barrier glove available. Two-color construction provides a safety indicator. N-360 Unlined N-440* Multi-layer neoprene construction eliminates thin spots and pinholes. N-440 Unlined N-540* All-neoprene construction offers a broad range of chemical protection. N-540 Unlined N-730 Multi-layer 18" neoprene Chem-Ply provides full length protection for work in deep tanks, vats and other deep liquid applications. N-730 Unlined N-740* Multi-layer 18" neoprene Chem-Ply provides full N-740	All-neoprene construction makes the Chem-Ply the most effective chemical barrier glove available. Two-color construction provides a safety indicator. N-360 Unlined 40695 N-440* Multi-layer neoprene construction eliminates thin spots and pinholes. N-440 Unlined 40795 N-540* All-neoprene construction offers a broad range of chemical protection. N-540 Unlined 40895 N-730 Multi-layer 18" neoprene Chem-Ply provides full length protection for work in deep tanks, vats and other deep liquid applications. N-730 Unlined 41370 N-740* Multi-layer 18" neoprene Chem-Ply provides full N-740 41470	All-neoprene construction makes the Chem-Ply the most effective chemical barrier glove available. Two-color construction provides a safety indicator. N-360 Unlined 40695 9-11 N-440* Multi-layer neoprene construction eliminates thin spots and pinholes. N-440 Unlined 40795 9-11 N-540* Unlined 40895 9-11 9-11 N-540* Unlined 40895 9-11 N-540* Unlined 40895 9-11 N-730 Multi-layer 18" neoprene Chem-Ply provides full length protection for work in deep tanks, vats and other deep liquid applications. N-730 41370 9-11 N-740* Multi-layer 18" neoprene Chem-Ply provides full withing the protection for work in deep tanks, vats and other deep liquid applications. N-740 41470 9-11	All-neoprene construction makes the Chem-Ply the most effective chemical barrier glove available. Two-color construction provides a safety indicator. N-360 Unlined 40695 9-11 22 mil (0.56 mm) 14.0" (35.5 cm) N-440* Multi-layer neoprene construction eliminates thin spots and pinholes. N-440 Unlined 40795 9-11 30 mil (0.76 mm) 14.0" (35.5 cm) N-540* MILI-neoprene construction offers a broad range of chemical protection. N-540 Unlined 40895 9-11 40 mil (1.01 mm) 14.0" (35.5 cm) N-730 Multi-layer 18" neoprene Chem-Ply provides full length protection for work in deep tanks, vats and other deep liquid applications. N-730 41370 9-11 22 mil (0.56 mm) 18.0" (46 cm) N-740* Multi-layer 18" neoprene Chem-Ply provides full length rotection for work in deep tanks, vats and other deep liquid applications. N-740 41470 9-11 30 mil (0.76 mm) 18.0" (46 cm)	All-neoprene construction makes the Chem-Ply the most effective chemical barrier glove available. Two-color construction provides a safety indicator. N-360 Unlined 40695 9-11 22 mil (0.56 mm) Flat Cuff N-440* Multi-layer neoprene construction eliminates thin spots and pinholes. N-440 totation floated float

*N-440, N-540, N-740 manufactured to NFPA 1992-1994 Edition Standard; "Liquid Splash Protection Garments for Hazardous Chemical Emergencies (Level B)". TEMP-TEC® INSULATED NEOPRENE GLOVES

NL-56 Multi-layer thermal lined neoprene glove provides all-round chemical resistance along with comfortable thermal protection. Non-Slip Grip Overedged Cuff 33242 8-10 Heavy wt. 14.0" (35.5 cm) NL-56 6 pr/case Thermal-Lined NL-517 Multi-layer thermal lined neoprene glove provides broad-range chemical resistance along with comfortable thermal protection. NL-517 33243 8-10 Heavy wt. Non-Slip Grip 6 pr/case Thermal-Lined 17.0" (43 cm) Overedged Cuff **CHEMZOIL® HEAVY-DUTY NEOPRENE GLOVES** NL-339 Heavy-duty lined 100% neoprene glove offers the maximum chemical protection available. Unique articulated finger design provides added comfort and reduces hand fatigue. NL-339 33942 8-11 Heavy wt. Roughed Grip 6 pr/case Knit-Lined 14.0" (35.5 cm) Pinked Cuff

le	Catalog Number	Size	Gauge/ Length	Grip/ Cuff	Packaging		
						TECHNIC® NEOPRENE/NATURAL RUBBER GLOVES	
						NS-401	-
01 ck-Lined	40142	S-SXXL	22 mil (0.56 mm) 12.5" (31.8 cm)	Diamond Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case	100% neoprene outer layer with natural rubber interior layer provides both chemical protection and comfort.	
						NS-420 👟	
420 ck-Lined	42042	S-SXXL	30 mil (0.76 mm) 12.5" (31.8 cm)	Diamond Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case	Multi-layer construction with neoprene outer layer and natural rubber interior layer provides both chemical protection and comfort.	
						NS-450 🚤	-
450	45042	S-SXXL	30 mil (0.76 mm) 16.0" (40.6 cm)	Diamond Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case	16" multi-layer construction with neoprene outer layer and natural rubber interior layer provides comfort and added forearm protection.	9

TWO-TONE® NEOPRENE/NATURAL RUBBER GLOVES

						NS-53
NS-53 Flock-Lined	40542	6-10	28 mil (0.71 mm) 13.0" (33 cm)	Diamond Grip Flat Cuff	72 pr/case, 12 pr/bag 6 bags/case	Neoprene blend overdip provides wide-range chemical resistance with natural rubber flexibility and comfort.

VINYL CHEMICAL RESISTANT GLOVES

						PYLOX® VINYL HAND SPECIFIC GLOVES
						V-5LH & V-5RH
V-5LH Unlined V-5RH Unlined	54142 54197	S-L	5 mil (0.13 mm) 10.5" (26.7 cm)	Bisque Grip Pinked Cuff	1000 LH or RH/case 100 LH or RH/dispenser 10 disp. boxes/case	Hand specific lightweight Quixam vinyl provides both chemical/ mechanical protection and dexterity. Light bisque finish provides safe grip for wet or dry applications. Lightly powdered for easy on and off. V-5PR
V-5PR Unlined	54196	M-XL	5 mil (0.13 mm) 10.5" (26.7 cm)	Bisque Grip Pinked Cuff	288 pr/case, 24 pr/box 12 boxes/case	Hand specific pair-packed lightweight vinyl provides both chemical/ mechanical protection and dexterity. Light bisque finish provides safe grip for wet or dry appli- cations. Lightly powdered with loose cuff design to keep working hand cooler. V-10
						Hand specific lightweight vinvl provides both chemical/
V-10 Unlined	54242	S-XL	10 mil (0.25 mm) 10.5" (26.7 cm)	Bisque Grip Pinked Cuff	144 pr/case, 12 pr/box 12 boxes/case	mechanical protection and dexterity. Light bisque finish provides safe grip for wet or dry applications.
						V-20
V-20 Unlined	54342	S-XL	20 mil (0.50 mm) 10.5" (26.7 cm)	Bisque Grip Pinked Cuff	72 pr/case, 12 pr/bag 6 bags/case	Pylox Stanflex vinyl gloves medium-weight hand specific vinyl with light bisque finish. Special formulation and manufacturing makes this vinyl glove soft and supple, yet strong and durable.

NATURAL RUBBER RESISTANT GLOVES

HARPON[™] NATURAL RUBBER GLOVES

						321
321 Knit-Lined	32131	7-10	Heavy Wt. 12.5" (32 cm)	Non-Slip Grip Pinked Cuff	50 pr/case, 1 pr/bag	Supported natural rubber glove with reinforced grip. Excellent for handling slippery or abrasive objects.
						BLUE-GRIP [™] NATURAL RUBBER GLOVES
						LL-301
LL-301 Knit-Lined	30142	XS-XL	Heavy Wt. 13.0" (33 cm)	Non-Slip Grip Pinked Cuff	48 pr/case, 1 pr/bag 6 pr/master bag 8 master bags/case	Heavy-weight knit-lined natural rubber glove with unique etched surface. Excellent mechanical and chemical protection, high cut resistance and tear strength.
						JERSETLITE [™] NATURAL RUBBER GLOVES
						LL-307
LL-307 Knit-Lined	30731	6-9	Light Wt. 12.0" (30.5 cm)	Low Friction Pinked Cuff	72 pr/case, 12 pr/bag 6 bags/case	Light-weight knit-lined natural rubber glove suitable for composite lay-up, tasks requiring excellent dexterity. Liquid-resistant low-friction surface ideal for pre-prep work.
						Sure-Grip® NATURAL RUBBER GLOVES
						LF-128
LF-128 Cotton Flock-Lined	12456	7-10	20 mil (0.50 mm) 12.0" (30.5 cm)	Diamond Grip Flat Cuff	144 pr/case, 12 pr/bag 12 bags/case	Traditional natural rubber with cotton flock lining for easy on-off. Diamond grip prevents greasy solids build-up, plus provides positive grip

Warning: products containing natural rubber latex are not recommended for use by those who may be allergic to natural rubber proteins. Products continued on back page.

	(CONT. FROM PAGE 3)	Style	Catalog Number	Size	Gauge/ Length	Grip/ Cuff	Packaging
110	CLASSICS NATURAL RUBBER GLOVES®						
	L-200						
	Traditional natural rubber glove with chlorinated finish for easy on-off. Diamond grip prevents greasy solids build-up, plus pro- vides positive grip.	L-200 Unlined	15856	7-11	18 mil (0.46 mm) 12.0" (30.5 cm)	Diamond Grip Flat Cuff	144 pr/case, 12 pr/bag 12 bags/case
11	L-200LH						
	Left hand only natural rubber glove with chlorinated finish for easy on-off. Diamond grip prevents greasy solids build-up, plus provides positive grip.	L-200LH Unlined	15859	7-11	18 mil (0.46 mm) 12.0" (30.5 cm)	Diamond Grip Flat Cuff	288 lh/case, 24 lh/bag 12 bags/case Left hands Only
	L-210						
	Traditional unlined natural rubber glove with chlorinated finish for easy on-off. Diamond grip.	L-210 Unlined	15956	6-11	18 mil (0.46 mm) 12.0" (30.5 cm)	Diamond Grip Flat Cuff	144 pr/case, 12 pr/bag 12 bags/case

GENERAL PURPOSE WORK GLOVES

GI	PA-397						
	Light-medium duty work glove with nitrile palm coating and cotton knit liner. Curved fingers, contoured palm balance flexibility, sensitivity and comfort.	GPA-397 Knitwrist	39742	6-9	Light to Medium Duty	Smooth Grip Knitwrist	100 pr/case, 10 pr/ba 10 bags/case
DE	EXTRAM™ NITRILE (NBR) COATED GLOVES						
37	75						
	Light-weight glove provides excellent level of comfort and protection against routine hazards.	375 Knit-Lined	37530	6-9	Lt. to Med. Duty 10.0" (25 cm)	Smooth Grip Pinked Cuff	50 pr/case, 1 pr/bag
37	76	070	07000			0 11 0 1	50 / / /
	Light-weight nitrile-coated glove provides excellent level of comfort and protection against routine hazards.	376 Knit-Lined	37630	6-9	Lt. to Med. Duty 12.0" (30.5 cm)	Smooth Grip Pinked Cuff	50 pr/case, 1 pr/bag
KF	RONIT® NITRILE (NBR) COATED GLOVES						
38	36						
	Textile supported interior; palm, thumb and index in Kevlar*	386 Kevlar-Lined	38631	7, 9	Heavy Duty 10.5" (26 cm)	Smooth Grip Knitwrist	10 pr/case, 1 pr/bag
38	37						
	Fully coated Kevlar* lined nitrile gauntlet, with reinforced Dyneema palm area, provides excellent cut and mechanical protection. *Kevlar is a registered trademark of DuPont.	387 Kevlar-Lined	38731	7, 9	Heavy Duty 12" (30.5 cm)	Smooth Grip Flat Cuff	10 pr/case, 1 pr/bag
55	60 ULTRANE® POLYURETHANE GLOVES						
55	50						
	Thin supported polyurethane gloves provide protection and fingertip precision for use within small parts assembly	550 Knit-Lined	55041	S (6)- XXL (10)	8.5" (21cm)- 10" (25 cm)	Smooth Grip Knitwrist	100 pr/case, 10 pr/ba 10 bags/case

DISPOSABLE GLOVES

SOLO ULTRA™ NITRILE EXAM GLOVES						
4 mil 997						
Disposable non-powdered nitrile. For short term intricate work requiring finger touch precision and accurate grip. 8 mil 980	4 mil 997 Unlined	99743	XS-XL	4 mil (0.10 cm) 10.0" (25 cm)	Textured FIngertips Rolled Cuff Ambidextrous	1000 gloves/case 100 ea/dispenser 10 dispensers/case
Disposable non-powdered nitrile. For short term intricate work requiring precision and accurate grip.	8 mil 980 Unlined	98042	XS-XXXL	8 mil (0.20 cm) 12.0" (30.5 cm)	Textured FIngertips Rolled Cuff Ambidextrous	1000 gloves/case 100 ea/dispenser 10 dispensers/case
TRILITES® TRIPLE POLYMER GLOVES						
994						
Unique powder-free TRI-polymer disposable glove provides comfort of natural rubber with added protection of nitrile and neoprene.	994 Unlined	99495	S-XL	6 mil (0.15 cm) 10.0" (25 cm)	Textured Grip Rolled Cuff Ambidextrous	1000 gloves/case 100 ea/dispenser 10 dispensers/case